





A	B	s	H	L	
15.0	10.0	1.5	5.0	11.0	
20.0	10.0	0.8-2.0	3.0	11.5	
20.0	10.0	1.0-1.5	5.0	11.5	
20.0	15.0	1.0-2.0	5.0	11.5	
20.0	15.0	1.0-2.0	2.0	11.5	nížká
20.0	16.0	0.8-2.5	5.0	11.5	
25.0	10.0	0.8-2.0	3.0	11.5	
25.0	10.0	1.0-2.0	5.0	11.5	
25.0	12.0	1.0-2.0	5.0	10.5	
25.0	15.0	0.8-2.5	5.0	11.5	
25.0	15.0	1.0-2.0	5.0	12.0	
25.0	20.0	1.0-2.0	5.0	14.5	
25.0	20.0	1.0-2.5	2.0	11.5	nížká
25.0	20.0	1.0-3.0	5.0	11.5	
25.4	12.7	0.8-2.0	3.0	11.5	
30.0	10.0	0.8-2.0	3.0	11.5	
30.0	10.0	1.0-2.0	5.0	12.5	
30.0	15.0	0.8-2.5	5.0	11.5	
30.0	15.0	0.8-2.5	2.0	11.5	nížká
30.0	15.0	1.0-2.0	5.0	12.0	
30.0	15.0	1.0-3.0	5.0	11.5	
30.0	20.0	0.8-3.0	2.0	11.5	nížká
30.0	20.0	1.0-2.0	5.0	14.0	
30.0	20.0	1.0-3.0	5.0	11.5	
30.0	20.0	3.0	5.0	13.5	
30.0	25.0	0.8-3.0	5.0	11.5	
30.0	25.0	0.8-3.0	2.0	11.5	nížká
30.0	25.0	1.0-2.0	5.0	13.5	
34.9	15.9	1.0-3.0	4.0	11.5	
35.0	10.0	0.8-2.0	3.5	11.5	
35.0	10.0	1.0-2.0	5.0	10.0	
35.0	15.0	1.0-2.0	5.0	12.5	
35.0	15.0	1.0-3.0	5.0	11.5	
35.0	20.0	0.8-2.5	2.0	11.5	nížká
35.0	20.0	0.8-3.0	5.0	11.5	
35.0	20.0	1.0-2.0	5.0	13.0	
35.0	25.0	0.8-2.5	2.0	11.5	nížká
35.0	25.0	1.0-2.0	4.5	13.5	
35.0	25.0	1.0-3.0	5.0	11.5	
35.0	30.0	1.0-2.0	5.0	14.5	
38.1	19.1	0.8-2.0	5.0	11.5	
38.1	19.1	1.0-3.0	5.0	11.5	
38.1	25.4	0.8-3.0	5.0	11.5	
40.0	10.0	1.5-2.0	5.0	11.0	
40.0	15.0	1.0-2.0	5.0	11.5	
40.0	20.0	0.8-2.5	2.0	11.5	nížká
40.0	20.0	0.8-3.0	5.0	11.5	
40.0	20.0	1.0-2.0	4.5	14.0	
40.0	20.0	3.0	5.0	13.0	
40.0	25.0	1.0-2.0	5.0	11.5	
40.0	25.0	1.0-3.0	5.0	11.5	
40.0	25.0	1.0-3.0	2.0	11.5	nížká
40.0	25.0	3.0-5.0	5.0	11.5	
40.0	27.0	1.2-1.7	5.0	11.5	
40.0	30.0	1.0-2.0	5.0	14.5	
40.0	30.0	1.0-2.5	2.0	11.5	nížká
40.0	30.0	1.0-3.0	5.0	11.5	
40.0	30.0	3.0	5.0	13.0	
40.0	30.0	3.0-5.0	5.0	11.5	
40.0	35.0	1.0-3.0	5.0	11.5	
45.0	15.0	1.0-2.0	5.0	11.0	
45.0	20.0	1.0-2.0	5.0	12.5	
45.0	20.0	1.0-3.0	5.0	11.5	
45.0	25.0	0.8-2.5	2.0	11.5	nížká
45.0	25.0	1.0-2.0	5.0	12.5	
45.0	25.0	1.0-3.0	5.0	11.5	
45.0	25.0	3.0-5.0	5.0	11.5	
45.0	30.0	0.8-2.5	2.0	11.5	nížká







A	B	s	H	L	
45.0	30.0	1.0-2.5	5.0	11.5	
45.0	30.0	3.0-5.0	5.0	11.5	
45.0	35.0	1.0-2.0	5.0	11.5	
45.0	35.0	1.0-3.5	5.0	11.5	
45.0	40.0	2.0-3.0	5.0	12.5	
48.0	38.0	1.0-2.0	5.0	14.5	
50.0	10.0	0.8-2.0	3.5	11.5	
50.0	15.0	1.0-2.0	4.5	13.5	
50.0	20.0	0.8-2.5	2.0	14.5	nížká
50.0	20.0	1.0-2.0	5.0	13.5	
50.0	20.0	1.0-3.0	5.0	14.5	
50.0	20.0	3.0	5.0	13.5	
50.0	25.0	0.8-2.5	2.0	14.5	nížká
50.0	25.0	0.8-3.0	5.0	14.5	
50.0	25.0	1.0-2.0	5.5	12.0	
50.0	25.0	1.0-2.25	5.0	14.5	
50.0	25.0	3.0-4.5	5.0	14.5	
50.0	30.0	1.0-2.0	4.5	13.5	
50.0	30.0	1.0-2.5	2.0	14.5	nížká
50.0	30.0	1.0-3.0	5.0	14.5	
50.0	30.0	3.0	5.0	14.0	
50.0	30.0	3.0-5.0	5.0	14.5	
50.0	34.0	1.0-3.5	5.0	14.5	
50.0	35.0	1.0-3.5	5.0	14.5	
50.0	40.0	0.8-2.5	2.0	14.5	nížká
50.0	40.0	0.8-3.0	5.0	14.5	
50.0	40.0	1.0-2.0	5.5	12.0	
50.0	40.0	1.5-3.0	5.0	12.0	
50.0	40.0	3.0-4.0	5.0	12.5	4xR6
50.8	25.4	1.0-3.0	5.0	14.5	
50.8	31.8	1.0-3.0	5.0	11.5	
50.8	38.1	1.0-3.0	5.0	14.5	
55.0	34.0	1.5-4.0	5.0	14.5	
55.0	35.0	1.0-2.0	4.5	13.0	
55.0	40.0	1.5-4.0	5.0	14.5	
60.0	15.0	1.0-2.0	5.0	14.5	
60.0	20.0	1.0-2.0	5.0	14.0	
60.0	20.0	1.0-2.5	2.0	14.5	nížká
60.0	20.0	1.0-3.0	5.0	14.5	
60.0	25.0	0.8-2.5	2.0	14.5	nížká
60.0	25.0	1.0-2.5	5.0	14.0	
60.0	25.0	3.0-4.5	5.0	11.5	
60.0	30.0	1.0-2.0	5.0	13.5	
60.0	30.0	1.0-2.5	5.0	14.5	
60.0	30.0	1.0-2.5	2.0	14.5	nížká
60.0	30.0	3.0	5.5	14.5	
60.0	30.0	3.0-5.0	5.0	14.5	
60.0	33.0	1.5-3.5	5.0	14.5	
60.0	35.0	1.5-3.5	5.0	14.5	
60.0	40.0	1.0-2.0	5.0	14.0	
60.0	40.0	1.0-2.5	5.0	14.5	
60.0	40.0	1.0-2.5	2.0	14.5	nížká
60.0	40.0	3.0-5.0	5.0	14.5	
60.0	40.0	4.0-5.0	5.0	14.0	
60.0	45.0	1.5-4.0	5.0	14.5	
60.0	50.0	1.5-3.5	5.0	14.5	
63.5	25.4	1.0-3.0	5.0	11.5	
63.5	38.1	1.2-3.5	5.0	14.5	
65.0	35.0	1.0-3.0	5.0	14.5	
65.0	35.0	1.5-3.5	5.0	15.0	
70.0	20.0	1.0-2.0	5.0	19.5	
70.0	20.0	1.0-2.5	5.0	19.5	
70.0	25.0	1.0-2.0	5.0	17.0	
70.0	30.0	1.0-2.0	6.0	18.0	
70.0	30.0	1.0-3.0	5.0	14.5	
70.0	35.0	1.5-3.5	5.0	14.5	
70.0	40.0	1.0-2.0	5.5	17.5	
70.0	40.0	1.0-3.0	5.5	14.5	





A	B	s	H	L	
70.0	40.0	3.0-4.0	5.5	18.0	
70.0	50.0	2.0-4.0	5.0	14.5	
75.0	25.0	1.0-3.0	5.0	14.5	
75.0	50.0	0.8-2.5	5.0	15.0	
75.0	50.0	2.0-4.0	6.0	22.0	
75.0	50.0	2.5-4.5	5.0	14.5	
76.2	25.4	1.5-3.5	5.0	14.5	
76.2	38.1	1.2-3.5	5.0	14.5	
76.2	38.1	2.0-4.0	6.0	14.5	
76.5	50.8	1.5-3.0	5.0	14.5	
76.2	50.8	2.0-4.0	6.0	22.0	
76.2	50.8	3.0-5.0	5.0	14.5	
80.0	20.0	1.0-2.0	5.0	18.0	
80.0	25.0	1.0-3.0	5.0	14.5	
80.0	25.0	1.5-3.0	5.0	18.0	
80.0	30.0	1.0-2.0	5.5	18.0	
80.0	30.0	1.0-2.5	5.0	14.5	
80.0	30.0	2.5	5.5	18.0	
80.0	30.0	2.5-4.0	5.0	14.5	
80.0	40.0	1.0-3.0	5.0	14.5	
80.0	40.0	1.5-2.5	5.0	18.5	
80.0	40.0	2.0-4.0	5.0	14.5	
80.0	40.0	3.0-5.0	5.0	14.5	
80.0	40.0	4.0	5.0	18.0	
80.0	45.0	1.5-3.5	5.0	14.5	
80.0	50.0	1.5-3.5	5.0	21.5	
80.0	50.0	2.0-4.0	5.0	24.0	
80.0	50.0	4.0	5.0	24.0	
80.0	60.0	1.5-4.5	5.0	24.0	
80.0	60.0	4.0-6.0	5.0	24.0	
80.0	60.0	5.0	5.0	18.0	
88.9	38.1	1.2-3.5	5.0	14.5	
90.0	20.0	1.0-2.5	5.0	14.5	
90.0	40.0	2.0-4.0	5.0	14.5	
90.0	45.0	2.0-4.0	5.0	14.5	
90.0	50.0	2.0-4.5	6.0	21.5	
90.0	70.0	3.0-5.5	6.0	21.5	
100.0	20.0	1.5-3.0	5.0	14.5	
100.0	25.0	1.5-3.0	5.0	14.5	
100.0	30.0	1.5-3.5	5.0	15.0	
100.0	40.0	1.5-2.0	5.0	18.5	
100.0	40.0	1.5-3.5	5.0	14.5	
100.0	40.0	3.0-4.0	5.0	18.0	
100.0	50.0	1.5-4.5	5.0	24.0	
100.0	50.0	2.0-3.0	5.0	24.0	
100.0	50.0	3.2-5.0	6.0	25.0	
100.0	50.0	3.2-6.0	6.5	23.5	
100.0	50.0	5.0	6.0	24.5	
100.0	60.0	2.5-4.5	6.0	25.0	
100.0	80.0	3.0-5.5	6.0	24.5	
100.0	80.0	4.0-6.0	6.5	18.5	
101.6	50.8	1.5-4.0	5.0	24.0	
110.0	30.0	2.0-4.0	5.0	14.5	
110.0	60.0	3.5-5.5	6.0	24.5	
110.0	70.0	3.0-5.0	6.0	24.5	
120.0	20.0	1.5-2.5	2.0	14.5	nížká
120.0	25.0	1.5-3.0	5.0	14.5	
120.0	30.0	1.0-2.0	5.0	20.0	
120.0	30.0	1.0-2.5	5.0	14.5	
120.0	40.0	1.5-2.0	5.0	16.0	
120.0	40.0	3.0	5.0	17.0	
120.0	40.0	3.0-5.0	6.0	21.5	
120.0	50.0	3.0-5.5	6.0	21.5	
120.0	60.0	2.0-3.0	5.0	24.0	
120.0	60.0	1.5-4.0	5.0	24.5	
120.0	60.0	3.0	5.0	18.5	
120.0	60.0	4.0	5.0	18.0	
120.0	60.0	5.0	5.0	17.5	

**Zátky obdélníkové Typ: 057-AxBxs**  
Materiál: PE; Barva: černá, bílá, šedá





A	B	s	H	L	
120.0	80.0	2.0-3.0	5.0	24.5	
120.0	80.0	2.0-5.5	6.0	24.5	
120.0	80.0	5.0-8.0	7.0	25.0	
120.0	100.0	3.5-6.0	6.0	24.0	
125.0	75.0	2.0-5.0	6.0	24.5	
140.0	40.0	2.0-4.5	6.0	21.5	
140.0	50.0	2.0-5.0	6.0	21.5	
140.0	60.0	2.0-4.5	6.0	24.5	
140.0	70.0	2.5-5.5	6.0	24.5	
140.0	70.0	4.0-6.5	6.0	24.5	
140.0	80.0	2.0-4.5	5.0	24.5	
140.0	80.0	4.0	5.5	19.0	
140.0	100.0	3.0-6.0	6.0	24.5	
150.0	30.0	1.5-3.0	6.0	21.5	
150.0	40.0	2.0-4.5	6.0	21.5	
150.0	50.0	2.0-4.0	6.0	28.0	
150.0	50.0	4.0-7.0	6.0	21.5	
150.0	60.0	2.5-5.0	6.0	21.5	
150.0	75.0	2.5-5.5	6.0	21.5	
150.0	75.0	5.5-8.5	6.0	21.5	
150.0	100.0	1.5-4.5	6.0	24.5	
150.0	100.0	3.0-5.5	7.0	27.5	
150.0	100.0	3.0-8.0	7.0	27.5	
152.4	50.8	3.0-6.0	6.0	21.5	
160.0	40.0	1.5-2.0	5.0	44.0	
160.0	50.0	2.5-5.5	6.0	21.5	
160.0	60.0	2.5-5.0	6.0	21.5	
160.0	80.0	3.0-5.5	6.0	24.5	
200.0	40.0	2.0-3.5	2.0	19.0	nížká
200.0	120.0	6.3-9.0	6.0	30.5	

**Zátky obdélníkové Typ: 057a-AxBxs**  
Materiál: PE; Barva: černá, bílá, šedá




A	B	s	H	L
25.0	15.0	1.0-2.0	5.0	12.0
30.0	10.0	1.0-2.0	5.0	12.0
30.0	15.0	1.5-2.0	5.0	12.0
30.0	20.0	1.5-2.0	5.0	14.0
40.0	15.0	1.0-2.0	5.0	12.0
40.0	20.0	1.0-2.0	5.0	14.0
40.0	30.0	1.5-2.0	5.0	13.0
50.0	20.0	1.5-2.0	5.0	13.0
50.0	30.0	1.5-2.0	5.0	13.0
50.0	40.0	1.0-2.0	5.0	12.0
60.0	20.0	1.5-2.0	5.0	14.0
60.0	30.0	1.5-2.0	5.0	14.0
60.0	40.0	1.5-2.5	5.0	14.0

**Zátky obdélníkové Typ: 057b-AxBxs**  
Materiál: PE+kov; Barva: stříbrná



A	B	s	H	L
20.0	10.0	1.0-1.5	1.5	10.0
20.0	15.0	1.0-1.5	2.0	10.0
30.0	15.0	1.5-2.0	2.0	10.0
40.0	20.0	1.5-2.0	2.0	11.0



A	B	s	H	L
15.0	8.0	1.0	2.0	8.0
15.0	10.0	1.0	2.0	9.0
15.0	10.0	1.2	2.5	9.0
20.0	10.0	1.0	2.5	9.0
20.0	10.0	1.2	2.5	9.0
20.0	15.0	1.2	3.0	9.0
20.0	15.0	1.5	3.0	9.0
25.0	10.0	1.5	2.5	9.0
25.0	15.0	1.5	3.0	9.0
30.0	10.0	1.5	2.5	9.0
30.0	15.0	1.2	3.0	9.0
30.0	15.0	1.5	3.0	9.0
30.0	20.0	1.2	3.0	9.0
30.0	20.0	1.5	3.0	9.0
35.0	15.0	1.5	3.0	9.0
35.0	20.0	1.5	3.0	9.0
40.0	10.0	1.2	3.0	9.0
40.0	10.0	1.5	3.0	9.0
40.0	15.0	1.0	3.0	9.0
40.0	15.0	1.2	3.0	9.0
40.0	15.0	1.5	3.0	9.0
40.0	20.0	1.2	3.5	9.0
40.0	20.0	1.5	3.5	9.0
40.0	20.0	2.0	3.5	9.0
50.0	20.0	1.2	3.0	10.0
50.0	20.0	1.5	3.0	10.0
60.0	20.0	1.5	3.0	10.0