



Kola ozubená Typ: 104-628-m(z)
Materiál: POM, Barva: přírodní





m	z	$\varnothing d$	$\varnothing d_1$	$\varnothing D$	H	h
0.5	12	2.0	4.0	6.0	7.0	3.0
0.5	13	2.0	4.0	6.5	7.0	3.0
0.5	14	2.0	5.0	7.0	7.0	3.0
0.5	15	3.0	6.0	7.5	10.0	3.0
0.5	16	3.0	6.0	8.0	10.0	3.0
0.5	17	3.0	6.0	8.5	10.0	3.0
0.5	18	4.0	8.0	9.0	10.0	3.0
0.5	19	4.0	8.0	9.5	10.0	3.0
0.5	20	4.0	8.0	10.0	10.0	3.0
0.5	21	4.0	8.0	10.5	10.0	3.0
0.5	22	4.0	10.0	11.0	10.0	3.0
0.5	23	4.0	10.0	11.5	10.0	3.0
0.5	24	4.0	10.0	12.0	10.0	3.0
0.5	25	4.0	10.0	12.5	10.0	3.0
0.5	26	4.0	10.0	13.0	10.0	3.0
0.5	27	4.0	10.0	13.5	10.0	3.0
0.5	28	4.0	10.0	14.0	10.0	3.0
0.5	30	4.0	12.0	15.0	10.0	3.0
0.5	32	4.0	12.0	16.0	10.0	3.0
0.5	35	4.0	12.0	17.5	10.0	3.0
0.5	36	4.0	12.0	18.0	10.0	3.0
0.5	38	4.0	12.0	19.0	10.0	3.0
0.5	40	4.0	12.0	20.0	10.0	3.0
0.5	42	4.0	12.0	21.0	10.0	3.0
0.5	45	4.0	12.0	22.5	10.0	3.0
0.5	48	6.0	15.0	24.0	10.0	3.0
0.5	50	6.0	15.0	25.0	10.0	3.0
0.5	52	6.0	15.0	26.0	10.0	3.0
0.5	54	6.0	15.0	27.0	10.0	3.0
0.5	55	6.0	15.0	27.5	10.0	3.0
0.5	56	6.0	15.0	28.0	10.0	3.0
0.5	60	6.0	15.0	30.0	10.0	3.0
0.5	64	6.0	15.0	32.0	10.0	3.0
0.5	65	6.0	15.0	32.5	10.0	3.0
0.5	70	6.0	15.0	35.0	10.0	3.0
0.5	72	6.0	15.0	36.0	10.0	3.0
0.5	75	6.0	15.0	37.5	10.0	3.0
0.5	80	6.0	15.0	40.0	10.0	3.0
0.5	90	6.0	15.0	45.0	10.0	3.0
0.5	96	6.0	15.0	48.0	10.0	3.0
0.5	100	6.0	15.0	50.0	10.0	3.0
0.5	120	6.0	15.0	60.0	10.0	3.0
1.0	12	4.0	9.0	12.0	17.0	9.0
1.0	13	4.0	9.0	13.0	17.0	9.0
1.0	14	4.0	9.0	14.0	17.0	9.0
1.0	15	4.0	9.0	15.0	17.0	9.0
1.0	16	4.0	9.0	16.0	17.0	9.0
1.0	17	4.0	9.0	17.0	17.0	9.0
1.0	18	4.0	9.0	18.0	17.0	9.0
1.0	19	4.0	9.0	19.0	17.0	9.0
1.0	20	4.0	9.0	20.0	17.0	9.0
1.0	21	5.0	12.0	21.0	17.0	9.0
1.0	22	5.0	12.0	22.0	17.0	9.0
1.0	23	5.0	12.0	23.0	17.0	9.0
1.0	24	6.0	15.0	24.0	18.0	9.0
1.0	25	6.0	15.0	25.0	18.0	9.0
1.0	26	6.0	15.0	26.0	18.0	9.0
1.0	27	6.0	15.0	27.0	18.0	9.0
1.0	28	6.0	15.0	28.0	18.0	9.0
1.0	30	6.0	15.0	30.0	18.0	9.0
1.0	32	6.0	18.0	32.0	18.0	9.0
1.0	35	8.0	18.0	35.0	18.0	9.0
1.0	36	8.0	18.0	36.0	18.0	9.0
1.0	38	8.0	18.0	38.0	18.0	9.0
1.0	40	8.0	18.0	40.0	18.0	9.0
1.0	42	8.0	18.0	42.0	18.0	9.0
1.0	45	8.0	18.0	45.0	18.0	9.0



Kola ozubená Typ: 104-628-m(z)
Materiál: POM, Barva: přírodní



m	z	$\varnothing d$	$\varnothing d_1$	$\varnothing D$	H	h
1.0	48	8.0	18.0	48.0	18.0	9.0
1.0	50	8.0	18.0	50.0	18.0	9.0
1.0	52	8.0	21.0	52.0	18.0	9.0
1.0	54	8.0	21.0	54.0	18.0	9.0
1.0	55	8.0	21.0	55.0	18.0	9.0
1.0	56	8.0	21.0	56.0	18.0	9.0
1.0	58	8.0	21.0	58.0	18.0	9.0
1.0	60	8.0	21.0	60.0	18.0	9.0
1.0	64	10.0	21.0	64.0	18.0	9.0
1.0	65	10.0	21.0	65.0	18.0	9.0
1.0	70	10.0	21.0	70.0	18.0	9.0
1.0	72	10.0	21.0	72.0	18.0	9.0
1.0	75	10.0	21.0	75.0	18.0	9.0
1.0	80	10.0	21.0	80.0	18.0	9.0
1.0	85	10.0	21.0	85.0	18.0	9.0
1.0	90	10.0	21.0	90.0	18.0	9.0
1.0	100	12.0	24.0	100.0	18.0	9.0
1.0	110	12.0	24.0	110.0	18.0	9.0
1.0	120	12.0	24.0	120.0	18.0	9.0
1.0	130	12.0	24.0	130.0	18.0	9.0
1.0	140	12.0	24.0	140.0	18.0	9.0
1.5	12	6.0	14.0	18.0	23.0	12.0
1.5	13	6.0	14.0	19.5	23.0	12.0
1.5	14	6.0	14.0	21.0	23.0	12.0
1.5	15	6.0	14.0	22.5	23.0	12.0
1.5	16	6.0	14.0	24.0	23.0	12.0
1.5	17	6.0	14.0	25.5	23.0	12.0
1.5	18	8.0	17.0	27.0	23.0	12.0
1.5	19	8.0	17.0	28.5	23.0	12.0
1.5	20	8.0	17.0	30.0	23.0	12.0
1.5	21	8.0	17.0	31.5	23.0	12.0
1.5	22	8.0	17.0	33.0	23.0	12.0
1.5	23	8.0	17.0	34.5	23.0	12.0
1.5	24	8.0	19.0	36.0	23.0	12.0
1.5	25	8.0	19.0	37.5	23.0	12.0
1.5	26	8.0	19.0	39.0	23.0	12.0
1.5	27	8.0	19.0	40.5	23.0	12.0
1.5	28	8.0	19.0	42.0	23.0	12.0
1.5	30	10.0	24.0	45.0	23.0	12.0
1.5	32	10.0	24.0	48.0	23.0	12.0
1.5	35	10.0	24.0	52.5	23.0	12.0
1.5	36	10.0	24.0	54.0	23.0	12.0
1.5	38	10.0	24.0	57.0	23.0	12.0
1.5	40	10.0	24.0	60.0	23.0	12.0
1.5	42	10.0	24.0	63.0	23.0	12.0
1.5	45	10.0	24.0	67.5	23.0	12.0
1.5	48	10.0	24.0	72.0	23.0	12.0
1.5	50	12.0	27.0	75.0	23.0	12.0
1.5	52	12.0	27.0	78.0	23.0	12.0
1.5	54	12.0	27.0	81.0	23.0	12.0
1.5	55	12.0	27.0	82.5	23.0	12.0
1.5	60	12.0	27.0	90.0	23.0	12.0
1.5	70	14.0	30.0	105.0	23.0	12.0
1.5	80	14.0	30.0	120.0	23.0	12.0
1.5	90	14.0	30.0	135.0	23.0	12.0
2.0	12	8.0	18.5	24.0	27.0	15.0
2.0	13	8.0	18.5	26.0	27.0	15.0
2.0	14	8.0	18.5	28.0	27.0	15.0
2.0	15	8.0	18.5	30.0	27.0	15.0
2.0	16	8.0	17.5	32.0	27.0	15.0
2.0	17	8.0	17.5	34.0	27.0	15.0
2.0	18	8.0	17.5	36.0	27.0	15.0
2.0	19	8.0	17.5	38.0	27.0	15.0
2.0	20	10.0	20.0	40.0	27.0	15.0
2.0	21	10.0	20.0	42.0	27.0	15.0
2.0	22	10.0	20.0	44.0	27.0	15.0



m	z	$\varnothing d$	$\varnothing d_1$	$\varnothing D$	H	h
2.0	23	10.0	20.0	46.0	27.0	15.0
2.0	24	10.0	24.0	48.0	27.0	15.0
2.0	25	10.0	24.0	50.0	27.0	15.0
2.0	26	10.0	24.0	52.0	27.0	15.0
2.0	27	10.0	24.0	54.0	27.0	15.0
2.0	28	10.0	24.0	56.0	27.0	15.0
2.0	30	10.0	24.0	60.0	27.0	15.0
2.0	32	10.0	26.0	64.0	27.0	15.0
2.0	35	12.0	26.0	70.0	27.0	15.0
2.0	36	12.0	26.0	72.0	27.0	15.0
2.0	38	12.0	26.0	76.0	27.0	15.0
2.0	40	12.0	26.0	80.0	27.0	15.0
2.0	42	12.0	26.0	84.0	27.0	15.0
2.0	45	14.0	30.0	90.0	27.0	15.0
2.0	48	14.0	30.0	96.0	27.0	15.0
2.0	50	14.0	30.0	100.0	27.0	15.0
2.0	55	14.0	30.0	110.0	27.0	15.0
2.0	60	14.0	30.0	120.0	27.0	15.0
2.0	70	14.0	30.0	140.0	27.0	15.0
3.0	12	12.0	24.0	36.0	34.0	19.0
3.0	13	12.0	24.0	39.0	34.0	19.0
3.0	14	12.0	24.0	42.0	34.0	19.0
3.0	15	12.0	24.0	45.0	34.0	19.0
3.0	16	12.0	24.0	48.0	34.0	19.0
3.0	17	12.0	24.0	51.0	34.0	19.0
3.0	18	12.0	24.0	54.0	34.0	19.0
3.0	19	12.0	24.0	57.0	34.0	19.0
3.0	20	12.0	24.0	60.0	34.0	19.0
3.0	21	12.0	24.0	63.0	34.0	19.0
3.0	22	12.0	24.0	66.0	34.0	19.0
3.0	23	12.0	24.0	69.0	34.0	19.0
3.0	24	12.0	24.0	72.0	34.0	19.0
3.0	25	14.0	28.0	75.0	34.0	19.0
3.0	26	14.0	28.0	78.0	34.0	19.0
3.0	27	14.0	28.0	81.0	34.0	19.0
3.0	28	14.0	28.0	84.0	34.0	19.0
3.0	30	14.0	28.0	90.0	34.0	19.0
3.0	32	16.0	32.0	96.0	34.0	19.0
3.0	33	16.0	32.0	99.0	34.0	19.0
3.0	35	16.0	32.0	105.0	34.0	19.0
3.0	38	16.0	32.0	114.0	34.0	19.0
3.0	40	16.0	32.0	120.0	34.0	19.0
3.0	45	16.0	32.0	135.0	34.0	19.0

m = modul
 z = počet zubů

Úhel záběru 20°
Tolerance 140 DIN16901
Max. zatížení zubu 35 N/mm²

Poznámka: Lze rovněž dodat kuželová kola v rozměrech:

Převod 1:1 – modul 0,5(16); 1,0(16 a 30); 1,5(16); 2,0(16); 2,5(16); 3,0(16); 3,5(16)
Převod 1:2 – modul 1,0(15); 1,5(15); 2,0(15); 2,5(15); 3,0(15)
Převod 1:3 – modul 1,0(15); 1,5(15); 2,0(10); 2,5(10)
Převod 1:4 – modul 1,0(10); 1,5(10); 2,0(10)
Převod 1:5 – modul 1,0(12)

Počet zubů je uveden pro pastorek.