




A	A	s	H	L	
10.0	10.0	1.0-2.0	4.0	10.0	
10.0	10.0	1.3-2.0	4.0	11.5	
12.0	12.0	0.5-2.0	4.0	11.5	
12.0	12.0	1.0-2.0	4.5	11.5	
12.7	12.7	0.8-2.0	4.0	11.5	
13.0	13.0	0.5-2.0	4.0	11.5	
13.0	13.0	1.0-2.0	4.0	11.5	
15.0	15.0	0.8-2.0	3.0	11.5	
15.0	15.0	1.0-2.0	5.0	11.5	
16.0	16.0	0.8-2.0	5.0	11.5	
16.0	16.0	1.0-2.0	5.0	12.0	
16.0	16.0	1.0-2.5	5.0	11.5	
18.0	18.0	1.0-2.0	5.0	11.0	
18.0	18.0	1.5-3.0	5.0	11.5	
19.0	19.0	0.8-2.5	5.0	11.5	
19.1	19.1	1.2-2.9	5.0	11.5	
20.0	20.0	0.8-3.0	5.0	11.5	
20.0	20.0	0.8-3.0	2.0	11.5	nížká
20.0	20.0	1.0-2.0	5.0	12.0	
20.0	20.0	1.0-2.25	5.0	11.5	
22.0	22.0	0.8-3.5	5.0	11.5	
22.0	22.0	1.0-2.0	5.0	14.0	
25.0	25.0	0.8-2.5	2.0	11.5	nížká
25.0	25.0	1.0-2.0	5.0	13.5	
25.0	25.0	1.0-3.0	5.0	11.5	
25.0	25.0	3.0	5.0	14.0	
25.4	25.4	1.0-2.5	5.0	11.5	
25.4	25.4	1.2-3.2	5.0	11.5	
27.0	27.0	1.0-2.0	5.0	15.0	
28.0	28.0	1.0-2.5	5.0	11.5	
28.0	28.0	1.0-3.0	5.0	11.5	
28.6	28.6	1.0-2.0	5.0	12.4	
30.0	30.0	1.0-2.0	5.0	13.5	
30.0	30.0/1xR6.0	1.0-2.0	5.0	13.5	
30.0	30.0	1.0-2.5	5.0	11.5	
30.0	30.0	1.0-2.5	2.0	11.5	nížká
30.0	30.0	2.5-5.0	5.0	11.5	
30.0	30.0	3.0	5.0	14.5	
32.0	32.0	1.0-3.5	5.0	11.5	
34.0	34.0	1.0-3.0	5.0	14.5	
35.0	35.0	0.8-2.5	2.0	14.5	nížká
35.0	35.0	1.0-2.0	5.0	14.5	
35.0	35.0	1.0-3.0	5.0	14.5	
35.0	35.0	2.5-5.0	5.0	11.5	
38.0	38.0	1.0-3.5	5.0	14.5	
40.0	40.0	1.0-2.0	5.0	14.0	
40.0	40.0	1.0-2.5	2.0	14.5	nížká
40.0	40.0	1.0-3.0	5.0	14.5	
40.0	40.0	3.0	5.0	14.5	
40.0	40.0	3.0-5.0	5.0	14.5	
40.0	40.0	5.0	5.0	14.5	
44.4	44.4	1.0-2.0	4.7	15.7	
44.4	44.4	2.0-3.0	4.7	15.1	
45.0	45.0	1.0-2.0	5.0	18.0	
45.0	45.0	1.0-2.5	5.0	14.5	
45.0	45.0	1.0-2.5	2.0	14.5	nížká
45.0	45.0	3.0-5.0	5.0	14.5	
48.0	48.0	1.0-2.5	5.0	14.5	
48.0	48.0	2.5-4.5	5.0	14.5	
50.0	50.0	0.8-3.0	5.0	14.5	
50.0	50.0	1.0-2.0	5.0	19.0	
50.0	50.0	1.0-2.5	2.0	14.5	nížká
50.0	50.0	2.6-5.0	5.0	19.0	
50.0	50.0	3.0-5.0	5.0	14.5	
50.8	50.8	1.2-3.2	5.0	14.5	
52.0	52.0	1.5-3.5	5.0	14.5	
55.0	55.0	2.0-4.5	5.0	14.5	
57.2	57.2	1.5-3.0	5.0	14.5	

Zátky čtvercové Typ: 056-AxAxS
Materiál PE; Barva: černá, bílá, (šedá)



A	A	s	H	L	
60.0	60.0	1.0-2.0	4.0	19.0	
60.0	60.0	1.5-4.0	5.0	23.5	
60.0	60.0	2.6-4.0	6.5	17.5	
60.0	60.0	3.0	5.0	14.5	
60.0	60.0	4.0-6.0	5.0	21.0	
60.0	60.0	5.0	4.0	15.0	
63.5	63.5	1.0-3.0	6.0	14.5	
63.5	63.5	1.5-4.0	6.0	21.0	
65.0	65.0	1.0-3.0	6.0	14.5	
65.0	65.0	2.0-4.5	5.0	21.0	
70.0	70.0	2.0-4.0	5.0	19.0	
70.0	70.0	2.0-4.5	5.0	18.5	
70.0	70.0	3.0	5.0	17.0	
70.0	70.0	3.6-5.0	8.0	20.0	
75.0	75.0	2.0-4.5	6.0	21.0	
76.2	76.2	2.0-4.0	6.0	22.0	
76.2	76.2	2.5-5.0	6.0	21.0	
80.0	80.0	1.5-2.5	6.0	21.0	
80.0	80.0	2.0-4.5	6.0	21.0	
80.0	80.0	2.9-5.0	8.0	24.0	
80.0	80.0	3.0-4.0	5.0	17.0	
80.0	80.0	4.0-7.0	6.0	21.0	
82.6	82.6	2.0-4.5	6.0	21.0	
88.9	88.9	2.0-4.0	6.0	21.0	
90.0	90.0	2.0-5.0	5.0	25.0	
90.0	90.0	5.0	5.0	18.0	
95.0	95.0	3.5-5.5	6.0	21.0	
100.0	100.0	1.0-4.0	7.0	24.0	
100.0	100.0	3.0-6.0	5.0	23.0	
100.0	100.0	5.0	5.0	18.0	
100.0	100.0	5.0-8.0	7.0	24.0	
101.6	101.6	2.5-5.5	6.0	24.0	
110.0	110.0	3.0-5.0	6.0	24.5	
114.3	114.3	2.5-5.5	6.0	24.0	
120.0	120.0	2.5-5.0	5.0	25.0	
125.0	125.0	3.0-6.0	6.0	24.5	
140.0	140.0	4.0-6.0	3.0	35.0	nížká
140.0	140.0	4.0-7.0	6.0	35.0	
150.0	150.0	5.0-8.0	7.0	27.0	
150.0	150.0	10.0-12.5	7.0	27.0	

Zátky čtvercové Typ: 056a-AxAxS
Materiál: PE; Barva: černá, bílá, šedá




A	A	s	H	L	
20.0	20.0	1.0-2.0	5.0	12.0	
22.0	22.0	1.0-2.0	5.0	14.0	
25.0	25.0	1.0-2.0	5.0	13.5	
30.0	30.0	1.0-2.0	5.0	13.5	
35.0	35.0	1.0-2.0	5.0	14.5	
40.0	40.0	1.5-2.0	5.0	14.0	
50.0	50.0	1.0-2.0	5.0	19.5	
80.0	80.0	3.0-4.0	6.0	17.0	

Zátky čtvercové Typ: 056b-AxAxs
Materiál PE+kov; Barva: stříbrná




A	A	s	H	L
16.0	16.0	1.5	2.0	9.0
18.0	18.0	1.5-2.0	2.0	9.0
20.0	20.0	1.5-2.0	2.0	10.0
25.0	25.0	1.5-2.0	2.0	10.0
30.0	30.0	1.5-2.0	3.0	10.0
35.0	35.0	1.5-2.0	3.0	12.0
40.0	40.0	1.5-2.0	3.0	12.0





Zátky čtvercové Typ: 056c-AxAxs
Materiál: ABS; Barva: stříbrná, stříbrná matná



A	A	s	H	L
12.0	12.0	1.0	2.0	7.0
12.0	12.0	1.2	2.0	7.0
15.0	15.0	1.0	2.5	8.5
15.0	15.0	1.2	2.5	8.5
15.0	15.0	1.5	2.5	8.5
16.0	16.0	1.0	3.0	8.0
16.0	16.0	1.5	3.0	8.0
18.0	18.0	1.2	3.0	8.0
18.0	18.0	1.5	3.0	8.0
20.0	20.0	1.0	3.0	7.0
20.0	20.0	1.2	3.0	7.0
20.0	20.0	1.5	3.0	7.0
25.0	25.0	1.0	3.0	7.0
25.0	25.0	1.2	3.0	7.0
25.0	25.0	1.5	3.0	7.0
25.0	25.0	2.0	3.0	7.0
30.0	30.0	1.0	4.0	10.0
30.0	30.0	1.2	4.0	10.0
30.0	30.0	1.5	4.0	10.0
35.0	35.0	1.2	4.0	11.0
35.0	35.0	1.5	4.0	11.0
40.0	40.0	1.2	4.0	11.0
40.0	40.0	1.5	4.0	11.0
45.0	45.0	1.2	5.0	11.0
45.0	45.0	1.5	5.0	11.0
50.0	50.0	1.2	5.0	11.0
50.0	50.0	1.5	5.0	11.0
50.0	50.0	2.0	5.0	11.0
50.0	50.0	3.0	5.0	11.0
60.0	60.0	1.2	5.0	12.0
60.0	60.0	1.5	5.0	12.0
80.0	80.0	1.2	5.0	12.0
80.0	80.0	1.5	5.0	12.0
80.0	80.0	2.0	5.0	12.0







A	B	s	H	L	
15.0	10.0	1.5	5.0	11.0	
20.0	10.0	0.8-2.0	3.0	11.5	
20.0	10.0	1.0-1.5	5.0	11.5	
20.0	15.0	1.0-2.0	5.0	11.5	
20.0	15.0	1.0-2.0	2.0	11.5	nížká
20.0	16.0	0.8-2.5	5.0	11.5	
25.0	10.0	0.8-2.0	3.0	11.5	
25.0	10.0	1.0-2.0	5.0	11.5	
25.0	12.0	1.0-2.0	5.0	10.5	
25.0	15.0	0.8-2.5	5.0	11.5	
25.0	15.0	1.0-2.0	5.0	12.0	
25.0	20.0	1.0-2.0	5.0	14.5	
25.0	20.0	1.0-2.5	2.0	11.5	nížká
25.0	20.0	1.0-3.0	5.0	11.5	
25.4	12.7	0.8-2.0	3.0	11.5	
30.0	10.0	0.8-2.0	3.0	11.5	
30.0	10.0	1.0-2.0	5.0	12.5	
30.0	15.0	0.8-2.5	5.0	11.5	
30.0	15.0	0.8-2.5	2.0	11.5	nížká
30.0	15.0	1.0-2.0	5.0	12.0	
30.0	15.0	1.0-3.0	5.0	11.5	
30.0	20.0	0.8-3.0	2.0	11.5	nížká
30.0	20.0	1.0-2.0	5.0	14.0	
30.0	20.0	1.0-3.0	5.0	11.5	
30.0	20.0	3.0	5.0	13.5	
30.0	25.0	0.8-3.0	5.0	11.5	
30.0	25.0	0.8-3.0	2.0	11.5	nížká
30.0	25.0	1.0-2.0	5.0	13.5	
34.9	15.9	1.0-3.0	4.0	11.5	
35.0	10.0	0.8-2.0	3.5	11.5	
35.0	10.0	1.0-2.0	5.0	10.0	
35.0	15.0	1.0-2.0	5.0	12.5	
35.0	15.0	1.0-3.0	5.0	11.5	
35.0	20.0	0.8-2.5	2.0	11.5	nížká
35.0	20.0	0.8-3.0	5.0	11.5	
35.0	20.0	1.0-2.0	5.0	13.0	
35.0	25.0	0.8-2.5	2.0	11.5	nížká
35.0	25.0	1.0-2.0	4.5	13.5	
35.0	25.0	1.0-3.0	5.0	11.5	
35.0	30.0	1.0-2.0	5.0	14.5	
38.1	19.1	0.8-2.0	5.0	11.5	
38.1	19.1	1.0-3.0	5.0	11.5	
38.1	25.4	0.8-3.0	5.0	11.5	
40.0	10.0	1.5-2.0	5.0	11.0	
40.0	15.0	1.0-2.0	5.0	11.5	
40.0	20.0	0.8-2.5	2.0	11.5	nížká
40.0	20.0	0.8-3.0	5.0	11.5	
40.0	20.0	1.0-2.0	4.5	14.0	
40.0	20.0	3.0	5.0	13.0	
40.0	25.0	1.0-2.0	5.0	11.5	
40.0	25.0	1.0-3.0	5.0	11.5	
40.0	25.0	1.0-3.0	2.0	11.5	nížká
40.0	25.0	3.0-5.0	5.0	11.5	
40.0	27.0	1.2-1.7	5.0	11.5	
40.0	30.0	1.0-2.0	5.0	14.5	
40.0	30.0	1.0-2.5	2.0	11.5	nížká
40.0	30.0	1.0-3.0	5.0	11.5	
40.0	30.0	3.0	5.0	13.0	
40.0	30.0	3.0-5.0	5.0	11.5	
40.0	35.0	1.0-3.0	5.0	11.5	
45.0	15.0	1.0-2.0	5.0	11.0	
45.0	20.0	1.0-2.0	5.0	12.5	
45.0	20.0	1.0-3.0	5.0	11.5	
45.0	25.0	0.8-2.5	2.0	11.5	nížká
45.0	25.0	1.0-2.0	5.0	12.5	
45.0	25.0	1.0-3.0	5.0	11.5	
45.0	25.0	3.0-5.0	5.0	11.5	
45.0	30.0	0.8-2.5	2.0	11.5	nížká





Zátky obdélníkové Typ: 057-AxBxs
Materiál: PE; Barva: černá, bílá, šedá



A	B	s	H	L	
45.0	30.0	1.0-2.5	5.0	11.5	
45.0	30.0	3.0-5.0	5.0	11.5	
45.0	35.0	1.0-2.0	5.0	11.5	
45.0	35.0	1.0-3.5	5.0	11.5	
45.0	40.0	2.0-3.0	5.0	12.5	
48.0	38.0	1.0-2.0	5.0	14.5	
50.0	10.0	0.8-2.0	3.5	11.5	
50.0	15.0	1.0-2.0	4.5	13.5	
50.0	20.0	0.8-2.5	2.0	14.5	nížká
50.0	20.0	1.0-2.0	5.0	13.5	
50.0	20.0	1.0-3.0	5.0	14.5	
50.0	20.0	3.0	5.0	13.5	
50.0	25.0	0.8-2.5	2.0	14.5	nížká
50.0	25.0	0.8-3.0	5.0	14.5	
50.0	25.0	1.0-2.0	5.5	12.0	
50.0	25.0	1.0-2.25	5.0	14.5	
50.0	25.0	3.0-4.5	5.0	14.5	
50.0	30.0	1.0-2.0	4.5	13.5	
50.0	30.0	1.0-2.5	2.0	14.5	nížká
50.0	30.0	1.0-3.0	5.0	14.5	
50.0	30.0	3.0	5.0	14.0	
50.0	30.0	3.0-5.0	5.0	14.5	
50.0	34.0	1.0-3.5	5.0	14.5	
50.0	35.0	1.0-3.5	5.0	14.5	
50.0	40.0	0.8-2.5	2.0	14.5	nížká
50.0	40.0	0.8-3.0	5.0	14.5	
50.0	40.0	1.0-2.0	5.5	12.0	
50.0	40.0	1.5-3.0	5.0	12.0	
50.0	40.0	3.0-4.0	5.0	12.5	4xR6
50.8	25.4	1.0-3.0	5.0	14.5	
50.8	31.8	1.0-3.0	5.0	11.5	
50.8	38.1	1.0-3.0	5.0	14.5	
55.0	34.0	1.5-4.0	5.0	14.5	
55.0	35.0	1.0-2.0	4.5	13.0	
55.0	40.0	1.5-4.0	5.0	14.5	
60.0	15.0	1.0-2.0	5.0	14.5	
60.0	20.0	1.0-2.0	5.0	14.0	
60.0	20.0	1.0-2.5	2.0	14.5	nížká
60.0	20.0	1.0-3.0	5.0	14.5	
60.0	25.0	0.8-2.5	2.0	14.5	nížká
60.0	25.0	1.0-2.5	5.0	14.0	
60.0	25.0	3.0-4.5	5.0	11.5	
60.0	30.0	1.0-2.0	5.0	13.5	
60.0	30.0	1.0-2.5	5.0	14.5	
60.0	30.0	1.0-2.5	2.0	14.5	nížká
60.0	30.0	3.0	5.5	14.5	
60.0	30.0	3.0-5.0	5.0	14.5	
60.0	33.0	1.5-3.5	5.0	14.5	
60.0	35.0	1.5-3.5	5.0	14.5	
60.0	40.0	1.0-2.0	5.0	14.0	
60.0	40.0	1.0-2.5	5.0	14.5	
60.0	40.0	1.0-2.5	2.0	14.5	nížká
60.0	40.0	3.0-5.0	5.0	14.5	
60.0	40.0	4.0-5.0	5.0	14.0	
60.0	45.0	1.5-4.0	5.0	14.5	
60.0	50.0	1.5-3.5	5.0	14.5	
63.5	25.4	1.0-3.0	5.0	11.5	
63.5	38.1	1.2-3.5	5.0	14.5	
65.0	35.0	1.0-3.0	5.0	14.5	
65.0	35.0	1.5-3.5	5.0	15.0	
70.0	20.0	1.0-2.0	5.0	19.5	
70.0	20.0	1.0-2.5	5.0	19.5	
70.0	25.0	1.0-2.0	5.0	17.0	
70.0	30.0	1.0-2.0	6.0	18.0	
70.0	30.0	1.0-3.0	5.0	14.5	
70.0	35.0	1.5-3.5	5.0	14.5	
70.0	40.0	1.0-2.0	5.5	17.5	
70.0	40.0	1.0-3.0	5.5	14.5	







A	B	s	H	L
70.0	40.0	3.0-4.0	5.5	18.0
70.0	50.0	2.0-4.0	5.0	14.5
75.0	25.0	1.0-3.0	5.0	14.5
75.0	50.0	0.8-2.5	5.0	15.0
75.0	50.0	2.0-4.0	6.0	22.0
75.0	50.0	2.5-4.5	5.0	14.5
76.2	25.4	1.5-3.5	5.0	14.5
76.2	38.1	1.2-3.5	5.0	14.5
76.2	38.1	2.0-4.0	6.0	14.5
76.5	50.8	1.5-3.0	5.0	14.5
76.2	50.8	2.0-4.0	6.0	22.0
76.2	50.8	3.0-5.0	5.0	14.5
80.0	20.0	1.0-2.0	5.0	18.0
80.0	25.0	1.0-3.0	5.0	14.5
80.0	25.0	1.5-3.0	5.0	18.0
80.0	30.0	1.0-2.0	5.5	18.0
80.0	30.0	1.0-2.5	5.0	14.5
80.0	30.0	2.5	5.5	18.0
80.0	30.0	2.5-4.0	5.0	14.5
80.0	40.0	1.0-3.0	5.0	14.5
80.0	40.0	1.5-2.5	5.0	18.5
80.0	40.0	2.0-4.0	5.0	14.5
80.0	40.0	3.0-5.0	5.0	14.5
80.0	40.0	4.0	5.0	18.0
80.0	45.0	1.5-3.5	5.0	14.5
80.0	50.0	1.5-3.5	5.0	21.5
80.0	50.0	2.0-4.0	5.0	24.0
80.0	50.0	4.0	5.0	24.0
80.0	60.0	1.5-4.5	5.0	24.0
80.0	60.0	4.0-6.0	5.0	24.0
80.0	60.0	5.0	5.0	18.0
88.9	38.1	1.2-3.5	5.0	14.5
90.0	20.0	1.0-2.5	5.0	14.5
90.0	40.0	2.0-4.0	5.0	14.5
90.0	45.0	2.0-4.0	5.0	14.5
90.0	50.0	2.0-4.5	6.0	21.5
90.0	70.0	3.0-5.5	6.0	21.5
100.0	20.0	1.5-3.0	5.0	14.5
100.0	25.0	1.5-3.0	5.0	14.5
100.0	30.0	1.5-3.5	5.0	15.0
100.0	40.0	1.5-2.0	5.0	18.5
100.0	40.0	1.5-3.5	5.0	14.5
100.0	40.0	3.0-4.0	5.0	18.0
100.0	50.0	1.5-4.5	5.0	24.0
100.0	50.0	2.0-3.0	5.0	24.0
100.0	50.0	3.2-5.0	6.0	25.0
100.0	50.0	3.2-6.0	6.5	23.5
100.0	50.0	5.0	6.0	24.5
100.0	60.0	2.5-4.5	6.0	25.0
100.0	80.0	3.0-5.5	6.0	24.5
100.0	80.0	4.0-6.0	6.5	18.5
101.6	50.8	1.5-4.0	5.0	24.0
110.0	30.0	2.0-4.0	5.0	14.5
110.0	60.0	3.5-5.5	6.0	24.5
110.0	70.0	3.0-5.0	6.0	24.5
120.0	20.0	1.5-2.5	2.0	14.5
120.0	25.0	1.5-3.0	5.0	14.5
120.0	30.0	1.0-2.0	5.0	20.0
120.0	30.0	1.0-2.5	5.0	14.5
120.0	40.0	1.5-2.0	5.0	16.0
120.0	40.0	3.0	5.0	17.0
120.0	40.0	3.0-5.0	6.0	21.5
120.0	50.0	3.0-5.5	6.0	21.5
120.0	60.0	2.0-3.0	5.0	24.0
120.0	60.0	1.5-4.0	5.0	24.5
120.0	60.0	3.0	5.0	18.5
120.0	60.0	4.0	5.0	18.0
120.0	60.0	5.0	5.0	17.5

nížká




Zátky obdélníkové Typ: 057-AxBxs
Materiál: PE; Barva: černá, bílá, šedá




A	B	s	H	L	
120.0	80.0	2.0-3.0	5.0	24.5	
120.0	80.0	2.0-5.5	6.0	24.5	
120.0	80.0	5.0-8.0	7.0	25.0	
120.0	100.0	3.5-6.0	6.0	24.0	
125.0	75.0	2.0-5.0	6.0	24.5	
140.0	40.0	2.0-4.5	6.0	21.5	
140.0	50.0	2.0-5.0	6.0	21.5	
140.0	60.0	2.0-4.5	6.0	24.5	
140.0	70.0	2.5-5.5	6.0	24.5	
140.0	70.0	4.0-6.5	6.0	24.5	
140.0	80.0	2.0-4.5	5.0	24.5	
140.0	80.0	4.0	5.5	19.0	
140.0	100.0	3.0-6.0	6.0	24.5	
150.0	30.0	1.5-3.0	6.0	21.5	
150.0	40.0	2.0-4.5	6.0	21.5	
150.0	50.0	2.0-4.0	6.0	28.0	
150.0	50.0	4.0-7.0	6.0	21.5	
150.0	60.0	2.5-5.0	6.0	21.5	
150.0	75.0	2.5-5.5	6.0	21.5	
150.0	75.0	5.5-8.5	6.0	21.5	
150.0	100.0	1.5-4.5	6.0	24.5	
150.0	100.0	3.0-5.5	7.0	27.5	
150.0	100.0	3.0-8.0	7.0	27.5	
152.4	50.8	3.0-6.0	6.0	21.5	
160.0	40.0	1.5-2.0	5.0	44.0	
160.0	50.0	2.5-5.5	6.0	21.5	
160.0	60.0	2.5-5.0	6.0	21.5	
160.0	80.0	3.0-5.5	6.0	24.5	
200.0	40.0	2.0-3.5	2.0	19.0	nížká
200.0	120.0	6.3-9.0	6.0	30.5	

Zátky obdélníkové Typ: 057a-AxBxs
Materiál: PE; Barva: černá, bílá, šedá




A	B	s	H	L
25.0	15.0	1.0-2.0	5.0	12.0
30.0	10.0	1.0-2.0	5.0	12.0
30.0	15.0	1.5-2.0	5.0	12.0
30.0	20.0	1.5-2.0	5.0	14.0
40.0	15.0	1.0-2.0	5.0	12.0
40.0	20.0	1.0-2.0	5.0	14.0
40.0	30.0	1.5-2.0	5.0	13.0
50.0	20.0	1.5-2.0	5.0	13.0
50.0	30.0	1.5-2.0	5.0	13.0
50.0	40.0	1.0-2.0	5.0	12.0
60.0	20.0	1.5-2.0	5.0	14.0
60.0	30.0	1.5-2.0	5.0	14.0
60.0	40.0	1.5-2.5	5.0	14.0

Zátky obdélníkové Typ: 057b-AxBxs
Materiál: PE+kov; Barva: stříbrná




A	B	s	H	L
20.0	10.0	1.0-1.5	1.5	10.0
20.0	15.0	1.0-1.5	2.0	10.0
30.0	15.0	1.5-2.0	2.0	10.0
40.0	20.0	1.5-2.0	2.0	11.0

Zátky obdélníkové Typ: 057c-AxBxs
Materiál: ABS; Barva: stříbrná, stříbrná matná




A	B	s	H	L
15.0	8.0	1.0	2.0	8.0
15.0	10.0	1.0	2.0	9.0
15.0	10.0	1.2	2.5	9.0
20.0	10.0	1.0	2.5	9.0
20.0	10.0	1.2	2.5	9.0
20.0	15.0	1.2	3.0	9.0
20.0	15.0	1.5	3.0	9.0
25.0	10.0	1.5	2.5	9.0
25.0	15.0	1.5	3.0	9.0
30.0	10.0	1.5	2.5	9.0
30.0	15.0	1.2	3.0	9.0
30.0	15.0	1.5	3.0	9.0
30.0	20.0	1.2	3.0	9.0
30.0	20.0	1.5	3.0	9.0
35.0	15.0	1.5	3.0	9.0
35.0	20.0	1.5	3.0	9.0
40.0	10.0	1.2	3.0	9.0
40.0	10.0	1.5	3.0	9.0
40.0	15.0	1.0	3.0	9.0
40.0	15.0	1.2	3.0	9.0
40.0	15.0	1.5	3.0	9.0
40.0	20.0	1.2	3.5	9.0
40.0	20.0	1.5	3.5	9.0
40.0	20.0	2.0	3.5	9.0
50.0	20.0	1.2	3.0	10.0
50.0	20.0	1.5	3.0	10.0
60.0	20.0	1.5	3.0	10.0

Zátky kruhové hlava rovná Typ: 085-Dxs
Materiál: PE; Barva: černá, bílá, šedá





ØD	s	H	L	ØD	s	H	L
10.0	0.8-1.5	3.5	11.5	26.0	0.8-3.0	5.0	11.5
10.0	1.0-1.5	4.0	6.0	26.9	2.65	5.0	20.0
12.0	0.8-2.0	3.5	11.5	27.0	0.8-3.0	5.0	11.5
12.0	1.0-1.5	4.0	10.0	27.0	1.0-2.0	5.0	14.0
12.7	0.8-2.0	4.0	11.5	28.0	0.8-2.5	5.0	11.5
13.0	0.8-2.0	4.0	11.5	28.0	1.0-2.0	5.0	14.0
13.0	1.0-2.0	4.0	10.0	28.0	1.25-2.5	5.0	12.0
14.0	0.5-1.5	5.0	11.5	28.6	1.0-3.0	5.0	11.5
14.0	0.8-2.0	5.0	11.5	30.0	0.8-2.5	5.0	11.5
14.0	1.0-1.5	4.0	9.5	30.0	1.0-2.0	5.0	14.0
15.0	0.8-2.0	3.0	11.5	30.0	2.5-4.5	5.0	11.5
15.0	1.0-2.0	4.0	9.5	30.0	3.0	4.5	14.0
16.0	0.8-2.0	5.0	11.5	32.0	0.8-3.0	5.0	11.5
16.0	1.0-2.0	4.0	10.0	32.0	1.0-2.0	5.0	14.5
18.0	0.25-1.5	5.0	11.5	32.0	2.5-4.5	5.0	11.5
18.0	0.8-2.5	5.0	11.5	32.0	3.0	5.0	14.0
18.0	1.0-2.0	4.0	12.0	33.7	3.25	5.0	20.0
18.0	2.5-3.5	5.0	11.5	34.0	0.8-3.0	5.0	11.5
19.0	0.8-2.5	5.0	11.5	34.0	1.0-2.0	5.5	14.5
19.0	1.0-2.0	4.0	11.0	34.0	3.5-4.5	5.0	11.5
20.0	0.8-2.5	5.0	11.5	35.0	1.0-2.0	5.0	14.5
20.0	1.0-1.5	4.0	12.0	35.0	1.0-3.0	5.0	11.5
20.0	1.25-2.5	5.0	11.5	35.0	3.0-5.0	5.0	11.5
21.0	0.8-2.5	5.0	11.5	36.0	1.0-2.0	5.0	14.0
21.3	2.65	5.0	20.0	36.0	1.0-3.0	5.0	11.5
22.0	0.8-3.0	5.0	11.5	37.0	1.0-3.0	5.0	11.5
22.0	1.0-2.0	4.0	12.0	38.0	1.0-2.0	5.0	12.0
22.0	2.0-4.0	5.0	11.5	38.0	1.0-3.0	5.0	11.5
23.0	0.8-3.0	5.0	11.5	38.0	3.0-5.0	5.0	11.5
24.0	0.8-2.5	5.0	11.5	38.1	2.0-4.0	5.0	14.5
25.0	1.0-2.0	5.0	12.0	40.0	1.0-2.0	5.0	12.0
25.0	1.0-3.0	5.0	11.5	40.0	1.0-3.0	5.0	11.5
25.0	3.0	5.0	12.0	40.0	3.0	5.0	12.0
25.0	3.0-5.0	5.0	11.5	40.0	3.0-5.0	5.0	11.5
25.4	1.2-3.2	5.0	11.5	41.3	1.0-3.0	5.0	11.5




$\varnothing D$	s	H	L	$\varnothing D$	s	H	L
42.0	0.8-2.5	5.0	11.5	42.0	3.5-5.0	5.0	11.5
42.0	1.0-2.0	5.0	11.5	42.4	3.25	6.0	25.0
42.0	2.5-5.0	5.0	11.5	43.0	2.0-2.5	5.0	11.5
42.0	3.0-4.0	4.7	12.0	43.0	3.0-3.5	5.0	11.5
42.4	3.25	6.0	25.0	44.4	1.0-3.0	5.0	11.5
43.0	2.0-2.5	5.0	11.5	44.5	1.2-3.2	5.0	11.5
43.0	3.0-3.5	5.0	11.5	45.0	0.8-3.0	5.0	11.5
44.4	1.0-3.0	5.0	11.5	45.0	1.0-2.0	5.0	15.0
44.5	1.2-3.2	5.0	11.5	45.0	1.0-3.0	5.0	11.5
45.0	0.8-3.0	5.0	11.5	45.0	3.0-5.0	5.0	11.5
45.0	1.0-2.0	5.0	15.0	46.0	1.5-3.5	5.0	12.0
45.0	3.0-5.0	5.0	11.5	47.6	1.0-3.0	5.0	11.5
46.0	1.5-3.5	5.0	12.0	48.0	1.0-2.0	5.0	13.0
47.6	1.0-3.0	5.0	11.5	48.0	1.5-2.5	5.0	18.0
48.0	1.0-2.0	5.0	13.0	48.0	3.0-4.0	5.0	18.0
48.0	1.5-2.5	5.0	18.0	48.4	1.2-3.6	6.0	11.5
48.0	3.0-4.0	5.0	18.0	48.4	2.5-5.2	6.0	11.5
48.3	3.25	6.0	25.0	48.3	3.25	6.0	25.0
48.4	1.2-3.6	6.0	11.5	50.0	0.8-1.5	5.0	12.0
48.4	2.5-5.2	6.0	11.5	50.0	1.0-2.5	5.0	11.5
50.0	0.8-1.5	5.0	12.0	50.0	1.5-2.5	5.0	16.0
50.0	1.0-2.5	5.0	11.5	50.0	2.5-3.5	5.0	17.5
50.0	1.5-2.5	5.0	16.0	50.0	2.5-4.5	5.0	11.5
50.0	2.5-3.5	5.0	17.5	50.0	4.0-5.0	5.0	17.5
50.0	2.5-4.5	5.0	11.5	50.0	5.0-6.5	5.0	11.5
50.0	4.0-5.0	5.0	17.5	50.8	1.2-3.0	5.0	11.5
50.0	4.5-6.5	5.0	11.5	51.0	1.5-2.5	5.0	11.5
50.8	1.2-3.0	5.0	11.5	51.0	2.0-3.5	4.5	16.0
51.0	1.5-2.5	5.0	11.5	51.0	3.0-4.0	4.5	17.5
51.0	2.0-3.5	4.5	16.0	51.0	4.5-5.5	4.5	17.5
51.0	3.0-4.0	4.5	17.5	52.0	1.5-3.5	5.0	14.5
51.0	4.5-5.5	4.5	17.5	55.0	1.0-2.0	4.5	13.5
52.0	1.5-3.5	5.0	14.5	55.0	1.0-3.0	5.0	14.5
55.0	1.0-2.0	4.5	13.5	55.0	3.0-5.0	5.0	14.5
55.0	1.0-3.0	5.0	14.5	57.2	1.2-2.7	5.0	14.5
55.0	3.0-5.0	5.0	14.5	60.0	1.0-3.5	5.0	18.0
57.2	1.2-2.7	5.0	14.5	60.0	1.5-2.5	5.5	21.5
60.0	1.0-3.5	5.0	18.0	60.0	3.0-4.0	5.5	21.5
60.0	1.5-2.5	5.5	21.5	60.0	3.0-5.0	5.0	18.0
60.0	3.0-4.0	5.5	21.5	60.3	3.65	6.0	25.0
60.0	3.0-5.0	5.0	18.0	63.5	1.0-3.0	5.0	14.5
60.3	3.65	6.0	25.0	63.5	1.5-3.5	5.0	21.0
63.5	1.0-3.0	5.0	14.5	65.0	1.0-3.0	5.0	14.5
63.5	1.5-3.5	5.0	21.0	65.0	1.5-3.5	5.0	21.0
65.0	1.0-3.0	5.0	14.5	65.0	3.0-5.0	5.0	21.0
65.0	1.5-3.5	5.0	21.0	70.0	1.0-2.0	5.5	21.0
65.0	3.0-5.0	5.0	21.0	70.0	1.0-3.5	5.0	21.0
70.0	1.0-2.0	5.5	21.0	70.0	2.0-4.5	5.0	21.0
70.0	1.0-3.5	5.0	21.0	75.0	1.0-3.5	6.0	21.0
70.0	2.0-4.5	5.0	21.0	75.0	2.0-4.0	6.0	22.0
75.0	1.0-3.5	6.0	21.0	75.0	3.0-5.0	6.0	21.0
75.0	2.0-4.0	6.0	22.0	76.0	1.5-2.5	5.0	21.5
75.0	3.0-5.0	6.0	21.0	76.0	3.0-4.0	5.0	22.0
76.0	1.5-2.5	5.0	21.5	76.2	1.5-4.0	6.0	21.0
76.0	3.0-4.0	5.0	22.0	76.2	3.5-6.0	6.0	21.0
76.2	1.5-4.0	6.0	21.0	80.0	1.5-2.0	6.5	17.5
76.2	3.5-6.0	6.0	21.0	80.0	1.5-3.0	4.0	21.0
80.0	1.5-2.0	6.5	17.5	80.0	3.0-5.5	6.0	21.0
80.0	1.5-3.0	4.0	21.0	82.6	2.0-4.5	6.0	21.0
80.0	3.0-5.5	6.0	21.0	85.0	1.5-4.0	6.0	21.0
82.6	2.0-4.5	6.0	21.0	85.0	3.5-6.0	6.0	21.0
85.0	1.5-4.0	6.0	21.0	88.9	1.8-4.0	6.0	21.0
85.0	3.5-6.0	6.0	21.0	88.9	3.5-6.0	6.0	21.0
88.9	1.8-4.0	6.0	21.0	90.0	1.5-4.0	6.0	21.0
88.9	3.5-6.0	6.0	21.0	90.0	2.5-5.0	5.0	20.0
90.0	1.5-4.0	6.0	21.0	95.0	1.5-4.0	6.0	21.0
42.0	0.8-2.5	5.0	11.5	100.0	2.0-4.5	6.0	28.0
42.0	1.0-2.0	5.0	11.5	101.6	3.6-6.0	6.0	28.0

Zátky kruhové hlava rovná Typ: 085-Dxs
Materiál: PE; Barva: černá, bílá, šedá



$\varnothing D$	s	H	L	$\varnothing D$	s	H	L
102.0	2.0-4	5.0	20.0	140.0	2.0-6.5	6.0	34.0
105.0	2.0-4.5	6.0	28.0	150.0	2.0-7.0	6.0	34.0
108.0	2.9-5.0	6.0	28.0	152.4	3.2-7.5	6.0	34.0
110.0	2.0-4.5	6.0	28.0	159.0	2.0-6.5	6.0	34.0
114.3	3.2-5.5	6.0	28.0	160.0	2.5-7.0	6.0	34.0
120.0	2.0-4.0	5.0	28.0	165.1	3.2-7.5	6.0	34.0
125.0	2.0-6.0	6.0	34.0	168.3	2.0-6.5	6.0	34.0
127.0	3.2-7.0	6.0	34.0	177.8	3.2-8.0	6.0	34.0
130.0	2.0-6.0	6.0	34.0	193.7	2.9-8.0	6.0	34.0
133.0	2.0-6.0	6.0	34.0				

Zátky kruhové hlava čočková Typ: 201-Dxs
Materiál: PE; Barva: černá, bílá, šedá



$\varnothing D$	s	L		$\varnothing D$	s	L	
10.0	0.8-1.5	11.5	*	34.0	0.5-1.0	11.5	
10.0	1.0-1.5	6.0		34.0	0.8-3.0	11.5	*
12.0	0.8-1.5	11.5	nížká	34.0	1.5-2.0	14.5	
12.0	0.8-2.0	11.5		34.0	3.5-4.5	11.5	
12.0	1.0-1.5	10.0		35.0	1.0-2.0	14.0	
13.0	0.8-2.0	11.5	*	35.0	1.0-3.0	11.5	*
13.0	1.0-2.0	10.0		35.0	3.0-5.0	11.5	
14.0	0.8-2.0	11.5	*	36.0	1.0-2.0	14.0	
14.0	1.0-1.5	9.5		36.0	1.0-3.0	11.5	
15.0	0.8-2.0	11.5	*	37.0	1.0-3.0	11.5	
15.0	1.0-2.0	9.0		38.0	0.5-1.0	11.5	
16.0	0.8-2.0	11.5	*	38.0	1.0-2.0	11.5	
16.0	1.0-2.0	9.0		38.0	1.0-3.0	11.5	*
18.0	0.25-1.5	11.5	*	38.0	3.0-5.0	11.5	
18.0	0.8-2.0	11.5	nížká	40.0	1.0-2.0	12.0	
18.0	0.8-2.5	11.5		40.0	1.0-3.0	11.5	*
18.0	1.0-2.0	12.0		40.0	3.0-5.0	11.5	
18.0	2.5-3.5	11.5	*	42.0	0.8-2.5	11.5	*
19.0	0.8-2.5	11.5	*	42.0	1.0-2.0	12.0	
19.0	1.0-2.0	11.0		42.0	2.5-5.0	11.5	
20.0	0.8-2.5	11.5	*	44.5	1.2-2.7	11.5	nížká
20.0	1.0-1.5	12.0		44.5	1.2-3.2	11.5	
21.0	0.8-2.5	11.5	*	45.0	0.8-2.5	11.5	nížká
22.0	0.8-3.0	11.5	*	45.0	0.8-3.0	11.5	
22.0	1.0-2.0	12.0		45.0	1.0-2.0	15.0	
22.0	2.0-4.0	11.5	*	45.0	3.0-5.0	11.5	
23.0	0.8-3.0	11.5	*	48.0	1.5-2.5	18.0	
24.0	0.8-2.5	11.5	*	48.4	1.2-3.0	11.5	nížká
25.0	1.0-2.0	12.0		48.4	1.2-3.6	11.5	
25.0	1.0-2.5	11.5	*	48.4	2.5-5.2	11.5	
25.0	3.0	12.0		50.0	1.0-2.5	11.5	*
25.0	3.0-5.0	11.5	*	50.0	1.5-2.5	16.0	
25.4	1.2-3.2	11.5	*	50.0	2.5-4.5	11.5	
26.0	0.8-3.0	11.5	*	50.0	5.0-6.5	11.5	
27.0	0.8-3.0	11.5	*	55.0	1.0-2.0	14.0	
27.0	1.0-2.0	14.0		55.0	1.0-2.5	14.5	nížká
28.0	0.8-2.5	11.5	*	55.0	1.0-3.0	11.5	
28.0	1.0-2.0	14.0		55.0	3.0-5.0	14.5	
30.0	0.8-2.5	11.5	*	57.2	1.2-2.7	14.5	*
30.0	1.0-2.0	14.0		60.0	1.0-2.0	18.0	nížká
30.0	2.5-4.5	11.5	*	60.0	1.0-3.5	18.0	
32.0	0.8-2.5	11.5	nížká	60.0	1.5-2.5	21.5	
32.0	0.8-3.0	11.5		60.0	3.0-5.0	18.0	
32.0	1.0-2.0	14.5		63.5	1.5-3.5	21.0	
32.0	2.5-4.5	11.5	nížká	65.0	1.5-3.5	21.0	*
32.0	2.5-5.0	11.5		65.0	3.0-5.0	21.0	
33.0	1.5-2.0	14.0		70.0	1.0-3.0	21.0	nížká




Zátky kruhové hlava čočková Typ: 201-Dxs
Materiál: PE; Barva: černá, bílá, šedá



$\varnothing D$	s	L		$\varnothing D$	s	L	
70.0	1.0-3.5	21.0		80.0	3.0-5.5	21.0	
75.0	1.0-2.5	21.0	*	85.0	1.5-3.0	21.0	nížká
75.0	3.0-5.0	21.0		85.0	1.5-4.0	21.0	
76.2	1.5-3.5	21.0	*	85.0	3.5-6.0	21.0	
76.2	3.5-6.0	21.0		88.9	1.8-3.5	21.0	*
80.0	1.0-3.0	21.0	nížká	88.9	3.5-6.0	21.0	
80.0	1.5-3.0	22.0					


Poznámka: Rozměry značené * dostupné rovněž s nízkou hlavou (nížká).



Zátky kruhové hlava čočková Typ: 201a-Dxs
Materiál: PE+kov; Barva: stříbrná




$\varnothing D$	s	H	L	$\varnothing D$	s	H	L
13.0	1.5	2.0	8.0	35.0	1.0-1.5	3.0	16.0
14.0	1.5	2.0	10.0	38.0	1.5-2.0	3.0	16.0
16.0	1.5	2.0	10.0	40.0	1.5-2.0	3.0	16.0
18.0	1.5-2.0	2.0	10.0	45.0	1.0-1.5	3.0	16.0
19.0	1.5-2.0	2.0	10.0	50.0	1.0	3.0	12.0
20.0	1.5	3.0	10.0	50.0	1.2	3.0	12.0
22.0	1.5	3.0	11.0	50.0	1.5	3.0	12.0
25.0	1.0	3.0	15.0	50.0	2.0	3.0	12.0
25.0	1.5	3.0	15.0	60.0	1.0	3.0	12.0
25.0	1.8	3.0	15.0	60.0	1.2	3.0	12.0
25.0	2.0	3.0	15.0	60.0	1.5	3.0	12.0
28.0	1.5-2.0	3.0	15.0	60.0	2.0	3.0	12.0
30.0	1.5	3.0	16.0	80.0	1.2	3.0	12.0
32.0	1.0-1.5	3.0	16.0	80.0	1.5	3.0	12.0




Zátky kruhové hlava čočková Typ: 201b-Dxs
Materiál: ABS; Barva: stříbrná, stříbrná matná



$\varnothing D$	s	H	L	$\varnothing D$	s	H	L
8.0	1.0	1.5	4.5	25.0	2.5	4.0	8.0
10.0	1.0	2.0	5.0	28.0	1.0	4.0	8.0
12.0	1.0	2.0	5.0	28.0	1.2	4.0	8.0
13.0	1.0	2.0	6.0	28.0	1.5	4.0	8.0
14.0	1.0	3.0	8.0	28.0	2.0	4.0	8.0
16.0	1.0	3.0	8.0	30.0	1.0	5.0	10.0
16.0	1.2	3.0	8.0	30.0	1.2	5.0	10.0
16.0	1.5	3.0	8.0	30.0	1.5	5.0	10.0
18.0	1.0	3.0	8.0	30.0	2.0	5.0	10.0
18.0	1.2	3.0	8.0	32.0	1.2	4.0	10.0
18.0	1.5	3.0	8.0	32.0	1.5	4.0	10.0
19.0	1.2	3.0	8.0	32.0	2.0	4.0	10.0
19.0	1.5	3.0	8.0	32.0	3.0	4.0	10.0
20.0	1.0	3.0	8.0	35.0	1.0	3.0	10.0
20.0	1.2	3.0	8.0	35.0	1.2	3.0	10.0
20.0	1.5	3.0	8.0	35.0	1.5	3.0	10.0
22.0	1.0	3.0	8.0	35.0	2.0	3.0	10.0
22.0	1.2	3.0	8.0	38.0	1.5	3.0	10.0
22.0	1.5	3.0	8.0	38.0	2.0	3.0	10.0
22.0	2.0	3.0	8.0	40.0	1.0	3.0	10.0
25.0	1.0	4.0	8.0	40.0	1.5	3.0	10.0
25.0	1.2	4.0	8.0	40.0	2.0	3.0	10.0
25.0	1.5	4.0	8.0	45.0	1.5	4.0	11.0
25.0	2.0	4.0	8.0	45.0	2.0	4.0	11.0





$\varnothing D$	s	L		$\varnothing D$	s	L	
50.0	1.0	5.0	11.0	70.0	1.2	5.0	11.0
50.0	1.2	5.0	11.0	70.0	1.5	5.0	11.0
50.0	1.5	5.0	11.0	80.0	1.2	5.0	11.0
50.0	2.0	5.0	11.0	80.0	1.5	5.0	11.0
60.0	1.0	5.0	11.0	90.0	1.2	5.0	11.0
60.0	1.2	5.0	11.0	90.0	1.5	5.0	11.0
60.0	1.5	5.0	11.0	120.0	5.0	8.0	11.0